

PART NO.	DESCRIPTION	OPEN AREA (IN ² /LF)
	DURA TRENCH SYSTEM	
3"	GRATES	
03BF24BPB	slotted black powder coated steel grate - 3" wide x 24" long x 0.5" thick	8.99
03BF24BPD	slotted black powder coated steel grate - 3" wide x 24" long x 0.5" thick	8.99
03BF24GSB	slotted galvanized steel grate - 3" wide x 24" long x 0.5" thick	8.99
03BF24GSD	slotted galvanized steel grate - 3" wide x 24" long x 0.5" thick	8.99
03BF24SSB	slotted T304 stainless steel grate - 3" wide, 24" long, 0.5" thick	8.99
03BF24SSD	slotted T304 stainless steel grate - 3" wide, 24" long, 0.5" thick	8.99
03BW48SSA	T304 stainless steel basket weave grate - 3" wide x 48" long x 0.5" thick	12.44
03CF24BPB	ADA compliant and heel proof black powder coated steel grate - 3" wide x 24" long x 0.5" thick	7.55
03CF24BPD	ADA compliant and heel proof black powder coated steel grate - 3" wide x 24" long x 0.5" thick	7.55
03CF24GSB	ADA compliant and heel proof galvanized steel grate - 3" wide x 24" long x 0.5" thick	7.55
03CF24GSD	ADA compliant and heel proof galvanized steel grate - 3" wide x 24" long x 0.5" thick	7.55
03CS48SSA	T304 stainless steel ADA compliant and heel proof staggered longitudinal slot grate - 3" wide x 48" long x 0.5" thick	7.03
03CF24SSB	ADA compliant and heel proof T304 stainless steel grate - 3" wide, 24" long, 0.5" thick	7.55
03CF24SSD	ADA compliant and heel proof T304 stainless steel grate - 3" wide, 24" long, 0.5" thick	7.55
03C24TP	plastic ADA compliant and heel proof grate (gray standard, other colors available) - 3" wide x 24" long x 0.5" thick	11.98
03F48SSA	T304 stainless steel ADA compliant and heel proof diagonal slotted grate - 3" wide x 48" long x 0.5" thick	9.88
03E24GS	perforated ADA Compliant and heel proof galvanized steel grate - 3" wide x 24" long x 0.5" thick	22.57
03E24SS	perforated ADA Compliant and heel proof T304 stainless steel grate - 3" wide x 24" long x 0.5" thick	22.57
03T148SSA	T304 stainless steel solid tile inlay grate - 3" wide x 24" long x 0.5" thick	3
03W48SSA	T304 stainless steel ADA compliant and heel proof wave pattern - 3" wide x 48" long x 0.5" thick	8.45
03M24SS	T304 stainless steel mesh grate with ADA compliant & heel proof openings - 3" wide x 24" long x 0.75" thick	26.48
03B24BR	Marine Grade Brass slotted grate - 3" wide x 24" long x 0.5" thick	7.2
03C24BR	Marine Grade Brass ADA compliant and heel proof longitudinally slotted grate - 3" wide x 24" long x 0.5" thick	7.8
03W24BR	Marine Grade Brass ornamental pattern grate - 3" wide x 24" long x 0.5" thick	6.5
03B24BZ	Bronze slotted grate - 3" wide x 24" long x 0.5" thick	7.2
03C24BZ	Bronze ADA compliant and heel proof longitudinally slotted grate - 3" wide x 24" long x 0.5" thick	7.8
03W24BZ	Bronze ornamental pattern grate - 3" wide x 24" long x 0.5" thick	6.5
5"	GRATES	
05AF24BPB	solid cover plate (black) - specify smooth or checkered - 5" wide x 24" long x 0.75" thick	0
05AF24BPE	solid cover plate (black) - specify smooth or checkered - 5" wide x 24" long x 0.75" thick	0
05AF24GSB	solid cover plate (galvanized) - specify smooth or checkered - 5" wide x 24" long x 0.75" thick	0
05AF24GSE	solid cover plate (galvanized) - specify smooth or checkered - 5" wide x 24" long x 0.75" thick	0
05B24DI	ductile iron slotted grate - E coated black - 5" wide x 24" long x 0.75" thick	21.48
05B24DG	Galvanized iron slotted grate - 5" wide x 24" long x 0.75" thick	21.48
05B24DIF	ductile iron slotted grate - E coated black - 5" wide x 24" long x 1.25" thick	19.19
05T24DI	ductile iron non-removable slotted grate - uncoated - 5" wide x 24" long x 1.25" thick, 1.6" slot opening (H-20 / HS-25 wheel loads)	53.3
05C24DI	ADA compliant and heel proof ductile iron longitudinally slotted grate - E coated black- 5" wide x 24" long x 0.75" thick	22.48
05C24DG	ADA compliant and heel proof galvanized iron longitudinally slotted grate - 5" wide x 24" long x 0.75" thick	22.48
05F24DI	ductile iron ornamental grate with diagonal pattern - specify natural or black finish - 5" wide x 24" long x 0.75" thick	9.93
05F24DG	ductile iron ornamental grate with diagonal pattern - hot dip galvanize finish - 5" wide x 24" long x 0.75" thick	
05W24DI	ductile Iron Wave Pattern Grate - painted black - 5" wide x 24" long x 0.75" thick	9.34
05AF24SS	T304 stainless steel solid cover - 5" wide x 24" long x 0.75" thick	0
05B24SSC	T304 stainless steel slotted grate - 5" wide x 24" long x 0.75" thick	19.81
05B24SSE	T304 stainless steel slotted grate - 5" wide x 24" long x 0.75" thick	19.81
05CF24SSC	T304 stainless steel ADA compliant / Heel proof grate - 5" wide x 24" long x 0.75" thick	11.16
05CF24SSE	T304 stainless steel ADA compliant / Heel proof grate - 5" wide x 24" long x 0.75" thick	11.16
05D24SSB	12ga T304 stainless steel stamped slot grate - 5" wide x 24" long x 0.75" thick	12.14
05D24SSC	12ga T304 stainless steel reinforced stamped slot grate - 5" wide x 24" long x 0.75" thick	12.14
05E24SSA	12ga T304 stainless steel stamped perforated grate - 5" wide x 24" long x 0.75" thick	11.43
05E24SSC	12ga T304 stainless steel reinforced stamped perforated grate - 5" wide x 24" long x 0.75" thick	11.43
05F24SSC	stainless steel ornamental grate with diagonal pattern - 5" wide x 24" long x 0.75" thick	9.93
05C24TP	plastic ADA compliant and heel proof grate (gray standard, other colors available) - 5" wide x 24" long x 0.75" thick	17.46
05H48FG	fiberglass grate with anti-slip grit (light gray color) - 5" wide x 48" long x 3/4" thick with 1 1/2" x 1 1/2" mesh spacing	23.25
06H48FG	heavy duty fiberglass grate with anti-slip grit (gray color) - 6" wide x 48" long x 1.5" thick with 1 1/2" x 1 1/2" mesh spacing	31
05D24GSB	12ga galvanized steel stamped slot grate - 5" wide x 24" long x 0.75" thick	12.14
05D24GSC	12ga galvanized steel reinforced stamped slot grate - 5" wide x 24" long x 0.75" thick	12.14
05E24GSA	12ga galvanized steel stamped perforated grate - 5" wide x 24" long x 0.75" thick	11.43

05E24GSC	12ga galvanized steel reinforced stamped perforated grate - 5" wide x 24" long x 0.75" thick	11.43
05G24AL	aluminum Bar grating - 5" wide x 24" long	48.8
05M24SS	T304 stainless steel mesh grate with ADA compliant & heel proof openings - 5" wide x 24" long x 0.75" thick	21.06
05P96GS	galvanized steel paver grate with 1/2" wide ADA compliant slot x 96" long	6
05P96SS	T304 stainless steel paver grate with 1/2" wide ADA compliant slot x 96" long	6
05B24BR	Marine Grade Brass slotted grate - 5" wide x 24" long x 0.75" thick	21.48
05C24BR	Marine Grade Brass ADA compliant and heel proof longitudinally slotted grate - 5" wide x 24" long x 0.75" thick	22.32
05W24BR	Marine Grade Brass ornamental pattern grate - 5" wide x 24" long x 0.75" thick	9.34
05B24BZ	Bronze slotted grate - 5" wide x 24" long x 0.75" thick	21.48
05C24BZ	Bronze ADA compliant and heel proof longitudinally slotted grate - 5" wide x 24" long x 0.75" thick	22.32
05W24BZ	Bronze ornamental pattern grate - 5" wide x 24" long x 0.75" thick	9.34
8"	GRATES	
08AF24BPB	Solid cover plate - specify smooth or checkered - 8" wide x 24" long x 1.5" thick	0
08AF24BPD	Solid cover plate - specify smooth or checkered - 8" wide x 24" long x 1.5" thick	0
08AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 8" wide x 24" long x 1.5" thick	1
08AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 8" wide x 24" long x 1.5" thick	2
08B24DI	Ductile Iron Slotted Grate - coated black - 8" wide x 24" long x 1.5" thick	52
08B24DG	Galvanized Iron Slotted Grate - 8" wide x 24" long x 1.5" thick	52
08B24CI	Cast Iron Slotted Grate - Uncoated - 8" wide x 24" long x 1.5" thick	35
08C24DI	Pedestrian ADA / heel proof ductile iron longitudinally slotted grate - black - 8" wide x 24" long x 1.5" thick	18
08C24DG	Pedestrian ADA / heel proof galvanized iron longitudinally slotted grate - 8" wide x 24" long x 1.5" thick	18
08C24CI	Pedestrian ADA cast iron slotted grate - uncoated - 8" wide x 24" long x 1.5" thick	16
08AF24SSD	T304 Stainless steel solid cover - 8" wide x 24" long x 1.5" thick	0
08BF24SSC	T304 Stainless steel slotted grate - 8" wide x 24" long x 1.5" thick	35.7
08BF24SSE	T304 Stainless steel slotted grate - 8" wide x 24" long x 1.5" thick	35.7
08CF24SSC	T304 Stainless steel ADA compliant / Heel proof grate - 8" wide x 24" long x 1.5" thick	25.5
08CF24SSE	T304 Stainless steel ADA compliant / Heel proof grate - 8" wide x 24" long x 1.5" thick	25.5
08E24SS	T304 Stainless steel perforated grate - 8" wide x 24" long x 1.5" thick	36.6
08M24SS	T304 stainless steel mesh grate with ADA compliant & heel proof openings - 8" wide x 24" long x 1.5" thick	34.37
08G36SSC	T304 Stainless steel bar grate - 8" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	71.26
08G36SSD	T304 Stainless steel bar grate - 8" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	66.8
08G36SSE	T304 Stainless steel bar grate - 8" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	57.89
08G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (gray color) - 8" wide x 48" long x 1 1/2" thick	56
08GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (gray color) - 8" wide x 48" long x 1 1/2" thick	
08HC48FG	Fiberglass grate with anti-slip grit (gray color) - 8" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	49.6
08H48FG	Fiberglass grate with anti-slip grit (gray color) - 8" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	56
08G36GSC	Galvanized steel bar grate - 8" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	71.25
08G36GSD	Galvanized steel bar grate - 8" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	66.8
08G36GSE	Galvanized steel bar grate - 8" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	57.89
08G24AL	Aluminum Bar grating - 8" wide x 24" long x 1.5" thick	66
08E24GS	Galvanized steel perforated grate - 8" wide x 24" long x 1.5" thick	36.6
08B24BR	Marine Grade Brass slotted grate - 8" wide x 24" long x 1.5" thick	35.7
08C24BR	Marine Grade Brass ADA compliant and heel proof longitudinally slotted grate - 8" wide x 24" long x 1.5" thick	25.5
08W24BR	Marine Grade Brass ornamental pattern grate - 8" wide x 24" long x 1.5" thick	25.5
08B24BZ	Bronze slotted grate - 5" wide x 24" long x 1.5" thick	35.7
08C24BZ	Bronze ADA compliant and heel proof longitudinally slotted grate - 5" wide x 24" long x 1.5" thick	25.5
08W24BZ	Bronze ornamental pattern grate - 8" wide x 24" long x 1.5" thick	25.5
10"	GRATES	
10AF24BPB	Solid cover plate - specify smooth or checkered - 10" wide x 24" long x 1.5" thick	0
10AF24BPD	Solid cover plate - specify smooth or checkered - 10" wide x 24" long x 1.5" thick	0
10AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 10" wide x 24" long x 1.5" thick	0
10AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 10" wide x 24" long x 1.5" thick	0
10AF24ALA	Aluminum solid cover plate - smooth - 10" wide x 24" long x 1.5" thick	0
10B24DI	Ductile Iron Slotted Grate - black - 10" wide x 24" long x 1.5" thick	66.88
10B24DG	Galvanized Iron Slotted Grate - 10" wide x 24" long x 1.5" thick	66.88
10B24CI	Cast Iron Slotted Grate - Uncoated - 10" wide x 24" long x 1.5" thick	41.73
10B24DIF	Ductile iron slotted grate - uncoated - 10" wide x 24" long x 1.5" thick	67.49
10B24DGF	Galvanized ductile iron slotted grate - 10" wide x 24" long x 1.5" thick	67.49

10C24DI	Pedestrian ADA / heel proof ductile iron longitudinally slotted grate - black - 10" wide x 24" long x 1.5" thick	30.7
10C24DG	Pedestrian ADA / heel proof galvanized iron longitudinally slotted grate - 10" wide x 24" long x 1.5" thick	30.7
10C24CI	Pedestrian ADA cast Iron slotted grate - uncoated - 10" wide x 24" long x 1.5" thick	14.04
10C24AL	Aluminum ADA compliant / Heel proof grate - 10" wide x 24" long x 1.5" thick	24.5
10W24DI	Ductile iron wave pattern grate - black - 10" wide x 24" long x 1.5" thick	27.89
10AF24SS	T304 Stainless steel solid cover - 10" wide x 24" long x 1.5" thick	0
10BF24SSC	T304 Stainless steel slotted grate - 10" wide x 24" long x 1.5" thick	35.7
10BF24SSE	T304 Stainless steel slotted grate - 10" wide x 24" long x 1.5" thick	35.7
10CF24SSC	T304 Stainless steel ADA compliant / Heel proof grate - 10" wide x 24" long x 1.5" thick	25.5
10CF24SSD	T304 Stainless steel ADA compliant / Heel proof grate - 10" wide x 24" long x 1.5" thick	25.5
10E24SS	T304 Stainless steel perforated grate - 10" wide x 24" long x 1.5" thick	45.53
10M24SS	T304 stainless steel mesh grate with ADA compliant & heel proof openings - 10" wide x 24" long x 1.5" thick	43.15
10G36SSC	T304 Stainless steel bar grate - 10" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	91.25
10G36SSD	T304 Stainless steel bar grate - 10" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	85.55
10G36SSE	T304 Stainless steel bar grate - 10" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	74.14
10B24FG	Cast Fiberglass slotted grate - gray color (special order only)	30.3
10G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (gray color) - 10" wide x 48" long x 1 1/2" thick	70.5
10GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (gray color) - 10" wide x 48" long x 1 1/2" thick	33
10HC48FG	Fiberglass grate with anti-slip grit (gray color) - 10" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	49.6
10H48FG	Fiberglass grate with anti-slip grit (gray color) - 10" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	56
10G36GSC	Galvanized steel bar grate - 10" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	92.5
10G36GSD	Galvanized steel bar grate - 10" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	86.4
10G36GSE	Galvanized steel bar grate - 10" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	74.4
10G24AL	Aluminum Bar grating - 10" wide x 24" long x 1.5" thick	100
10E24GS	Galvanized steel perforated grate - 10" wide x 24" long x 1.5" thick	45.53
10B24BR	Marine Grade Brass slotted grate - 10" wide x 24" long x 1.5" thick	35.7
10C24BR	Marine Grade Brass ADA compliant and heel proof longitudinally slotted grate - 10" wide x 24" long x 1.5" thick	25.5
10W24BR	Marine Grade Brass ornamental pattern grate - 10" wide x 24" long x 1.5" thick	27.8
10B24BZ	Bronze slotted grate - 10" wide x 24" long x 1.5" thick	35.7
10C24BZ	Bronze ADA compliant and heel proof longitudinally slotted grate - 10" wide x 24" long x 1.5" thick	25.5
10W24BZ	Bronze ornamental pattern grate - 10" wide x 24" long x 1.5" thick	27.8
12"	GRATES	
12AF24BPB	Solid cover plate - specify smooth or checkered - 12" wide x 24" long x 1.5" thick	0
12AF24BPD	Solid cover plate - specify smooth or checkered - 12" wide x 24" long x 1.5" thick	0
12AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 12" wide x 24" long x 1.5" thick	0
12AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 12" wide x 24" long x 1.5" thick	0
12AF24ALA	Aluminum solid cover plate - smooth - 12" wide x 24" long x 1.5" thick	0
12B24DI	Ductile Iron Slotted Grate - painted black - 12" wide, 24" long (1.125" slot width), 1.5" thick	82.88
12B24DG	Galvanized Iron Slotted Grate - 12" wide, 24" long (1.125" slot width), 1.5" thick	82.88
12B24CI	Cast Iron Slotted Grate - Uncoated - 12" wide x 24" long x 1.5" thick	54.73
12B24DIF	Ductile iron slotted grate - uncoated - 12" wide x 24" long (Aircraft loading)	84.0
12B24DGF	Galvanized ductile iron slotted grate - 12" wide x 24" long (Aircraft loading)	84.0
12C24DI	Pedestrian ADA / Heel proof Ductile Iron Longitudinally Slotted Grate - Painted black - 12" wide, 24" long, 1.5" thick, 0.25" slot opening	56.1
12C24DG	Pedestrian ADA / Heel proof galvanized Iron Longitudinally Slotted Grate - 12" wide, 24" long, 1.5" thick, 0.25" slot opening	56.1
12C24CI	Pedestrian ADA cast Iron slotted grate - uncoated - 12" wide, 24" long, 1.5" thick, 0.375" slot opening	24.48
12C24AL	Aluminum ADA compliant / Heel proof grate - 12" wide x 24" long x 1.5" thick	34.5
12W24DI	Ductile Iron Wave Pattern Grate - painted black - 12" wide x 24" long x 1.5" thick	51.39
12F24DI	Ductile Iron Ornamental Pattern Grate - painted black - 12" wide x 24" long x 1.5" thick	32.05
12AF24SS	T304 Stainless steel solid cover - 12" wide x 24" long x 1.5" thick	0
12BF24SSB	T304 Stainless steel slotted grate - 12" wide x 24" long x 1.5" thick	45.56
12BF24SSD	T304 Stainless steel slotted grate - 12" wide x 24" long x 1.5" thick	45.56
12CF24SSB	T304 Stainless steel ADA compliant / Heel proof grate - 12" wide x 24" long x 1.5" thick	35.52
12CF24SSD	T304 Stainless steel ADA compliant / Heel proof grate - 12" wide x 24" long x 1.5" thick	35.52
12E24SS	T304 Stainless steel perforated grate - 12" wide x 24" long x 1.5" thick	54.88
12M24SS	T304 stainless steel mesh grate with ADA compliant & heel proof openings - 12" wide x 24" long x 1.5" thick	51.89
12G36SSC	T304 Stainless steel bar grate - 12" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	112.25
12G36SSD	T304 Stainless steel bar grate - 12" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	104.3

12G36SSE	T304 Stainless steel bar grate - 12" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	90.39
12G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 12" wide x 48" long x 1 1/2" thick	57.6
12GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 12" wide x 48" long x 1 1/2" thick	35
12HC48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 12" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	58.88
12H48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 12" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	64
12G36GSC	Galvanized steel bar grate - 12" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	112.5
12G36GSD	Galvanized steel bar grate - 12" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	103.7
12G36GSE	Galvanized steel bar grate - 12" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	89.3
12G24AL	Aluminum Bar grating - 12" wide x 24" long x 1.5" thick	120
12B24BR	Marine Grade Brass slotted grate - 12" wide x 24" long x 1.5" thick	45.56
12C24BR	Marine Grade Brass ADA compliant and heel proof longitudinally slotted grate - 12" wide x 24" long x 1.5" thick	35.52
12W24BR	Marine Grade Brass ornamental pattern grate - 12" wide x 24" long x 1.5" thick	51.39
12B24BZ	Bronze slotted grate - 12" wide x 24" long x 1.5" thick	45.56
12C24BZ	Bronze ADA compliant and heel proof longitudinally slotted grate - 12" wide x 24" long x 1.5" thick	35.52
12W24BZ	Bronze ornamental pattern grate - 12" wide x 24" long x 1.5" thick	51.39
14"	GRATES	
14AF24BPB	Solid cover plate - specify smooth or checkered - 14" wide x 24" long x 1.5" thick	0
14AF24BPD	Solid cover plate - specify smooth or checkered - 14" wide x 24" long x 1.5" thick	0
14AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 14" wide x 24" long x 1.5" thick	0
14AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 14" wide x 24" long x 1.5" thick	0
14AF24ALA	Aluminum solid cover plate - smooth - 14" wide x 24" long x 1.5" thick	0
14AVCT48AL	Aluminum cover plate rated for heavy traffic with recessed center to accept 1/8" VCTtile - 14" wide x 48" long x 1.5" thick (uses 3/8" thk aluminum plate with reinforcing ribs)	0
14B24DI	Ductile Iron Slotted Grate - Black powder painted - 14" wide, 24" long (1.125" slot width), 1.5" thick	113.44
14B24DG	Galvanized Iron Slotted Grate - 14" wide, 24" long (1.125" slot width), 1.5" thick	113.44
14B24CI	Cast Iron Slotted Grate - Uncoated - 14" wide x 24" long x 1.5" thick	109.6
14B24DIF	Ductile Iron Slotted Grate - Uncoated - 14" wide, 24" long, 1.5" thick (at seat)	92.24
14B24DGF	Galvanized ductile Iron Slotted Grate - 14" wide, 24" long, 1.5" thick (at seat)	92.24
14C24DI	Pedestrian ADA / Heel proof Ductile Iron Longitudinally Slotted Grate - Painted black - 14" wide x 24" long x 1.5" thick	51.36
14C24DG	Pedestrian ADA / Heel proof galvanized iron longitudinally slotted grate - 14" wide x 24" long x 1.5" thick	51.36
14C24CI	Pedestrian ADA cast Iron slotted grate - uncoated - 14" wide x 24" long x 1.5" thick, 0.375" slot opening	30.54
14AF24SS	T304 Stainless steel solid cover - 14" wide x 24" long x 1.5" thick	0
14BF24SSB	T304 Stainless steel slotted grate - 14" wide x 24" long x 1.5" thick	5.31
14BF24SSD	T304 Stainless steel slotted grate - 14" wide x 24" long x 1.5" thick	55.31
14CF24SSB	T304 Stainless steel ADA compliant / Heel proof grate - 14" wide x 24" long x 1.5" thick	40.64
14CF24SSD	T304 Stainless steel ADA compliant / Heel proof grate - 14" wide x 24" long x 1.5" thick	40.64
14E24SS	T304 Stainless steel perforated grate - 14" wide x 24" long x 1.5" thick	64.29
14M24SS	T304 stainless steel mesh grate with ADA compliant & heel proof openings - 14" wide x 24" long x 1.5" thick	67.14
14G36SSB	T304 Stainless steel bar grate - 14" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	128.75
14G36SSC	T304 Stainless steel bar grate - 14" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	120.7
14G36SSD	T304 Stainless steel bar grate - 14" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	104.61
14G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 14" wide x 48" long x 1 1/2" thick	151.2
14GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 14" wide x 48" long x 1 1/2" thick	67.2
14HC48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 14" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	71.68
14H48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 14" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	92
14B24FG	Cast Fiberglass slotted grate - gray color (special order only)	37.86
14G36GSB	Galvanized steel bar grate - 14" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	128.75
14G36GSC	Galvanized steel bar grate - 14" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	120.7
14G36GSD	Galvanized steel bar grate - 14" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	104.61
14G24AL	Aluminum Bar grating - 14" wide x 24" long x 1.5" thick	140
14B24BR	Marine Grade Brass slotted grate - 14" wide x 24" long x 1.5" thick	55.31
14C24BR	Marine Grade Brass ADA compliant and heel proof longitudinally slotted grate - 14" wide x 24" long x 1.5" thick	40.64
14W24BR	Marine Grade Brass ornamental pattern grate - 14" wide x 24" long x 1.5" thick	40

14B24BZ	Bronze slotted grate - 14" wide x 24" long x 1.5" thick	55.31
14C24BZ	Bronze ADA compliant and heel proof longitudinally slotted grate - 14" wide x 24" long x 1.5" thick	40.64
14W24BZ	Bronze ornamental pattern grate - 14" wide x 24" long x 1.5" thick	40
20"	GRATES	
20AF24BPB	Solid cover plate - specify smooth or checkered - 20" wide x 24" long x 1.5" thick	0
20AF24BPD	Solid cover plate - specify smooth or checkered - 20" wide x 24" long x 1.5" thick	0
20AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 20" wide x 24" long x 1.5" thick	0
20AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 20" wide x 24" long x 1.5" thick	0
20B24DI	Ductile Iron Slotted Grate - painted black - 20" wide, 24" long (1.125" slot width), 1.5" thick	160.32
20B24DG	Galvanized Iron Slotted Grate - 20" wide, 24" long (1.125" slot width), 1.5" thick	160.32
20B24CI	Cast Iron Slotted Grate - Uncoated - 20" wide x 24" long x 1.5" thick	138
20B24DIF	Ductile Iron Slotted Grate - Uncoated - 20" wide, 24" long, 1.5" thick (at seat)	146.68
20B24DGF	Galvanized ductile iron slotted grate - 20" wide, 24" long, 1.5" thick (at seat)	146.68
20CF24BP	Black powder painted steel ADA compliant / Heel proof grate - 20" wide x 24" long x 1.5" thick	45.76
20W24DI	Ductile Iron Wave Pattern Grate - painted black - 20" wide x 24" long x 1.5" thick	44.37
20AF24SS	T304 Stainless steel solid cover - 20" wide x 24" long x 1.5" thick	0
20BF24SSB	T304 Stainless steel slotted grate - 20" wide x 24" long x 1.5" thick	84.56
20BF24SSD	T304 Stainless steel slotted grate - 20" wide x 24" long x 1.5" thick	84.56
20CF24SSB	T304 Stainless steel ADA compliant / Heel proof grate - 20" wide x 24" long x 1.5" thick	45.76
20CF24SSC	T304 Stainless steel ADA compliant / Heel proof grate - 20" wide x 24" long x 1.5" thick	45.76
20E24SS	T304 Stainless steel perforated grate - 20" wide x 24" long x 1.5" thick	91.2
20G36SSB	T304 Stainless steel bar grate - 20" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	186.25
20G36SSC	T304 Stainless steel bar grate - 20" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	174.61
20G36SSD	T304 Stainless steel bar grate - 20" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	151.3
20G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 20" wide x 48" long x 1 1/2" thick	144
20GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 20" wide x 48" long x 1 1/2" thick	45
20HC48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 20" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	96
20H48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 20" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	148.5
20G36GSB	Galvanized steel bar grate - 20" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	186.25
20G36GSC	Galvanized steel bar grate - 20" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	174.61
20G36GSD	Galvanized steel bar grate - 20" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	151.3
20G24AL	Aluminum Bar grating - 20" wide x 24" long x 1.5" thick	200
26"	GRATES	
26AF24BPB	Solid cover plate - specify smooth or checkered - 26" wide x 24" long x 1.5" thick	0
26AF24BPD	Solid cover plate - specify smooth or checkered - 26" wide x 24" long x 1.5" thick	0
26AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 26" wide x 24" long x 1.5" thick	0
26AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 26" wide x 24" long x 1.5" thick	0
26A24DI	Ductile iron solid cover plate - non-skid surface pattern with lifting eyes at corners - 26" wide x 24" long x 1.5" thick	0
26B24DI	Ductile Iron Slotted Grate - painted black - 26" wide, 24" long, 1.5" thick at grate seat	192
26B24DG	Galvanized Iron Slotted Grate - 26" wide, 24" long, 1.5" thick at grate seat	192
26B24CI	Cast Iron Slotted Grate - Uncoated - 26" wide x 24" long x 1.5" thick	102.47
26B24DIF	Ductile Iron Slotted Grate - Uncoated - 26" wide, 24" long, 3.5" thick (1.5" thick grate seat)	61.13
26B24DGF	Galvanized Iron Slotted Grate - 26" wide, 24" long, 3.5" thick (1.5" thick grate seat)	61.13
26CF24BP	Black powder painted steel ADA compliant / Heel proof grate - 26" wide x 24" long x 1.5" thick	42.75
26AF24SS	T304 Stainless steel solid cover - 26" wide x 24" long x 1.5" thick	0
26BF24SSB	T304 Stainless steel slotted grate - 26" wide x 24" long x 1.5" thick	113.81
26BF24SSD	T304 Stainless steel slotted grate - 26" wide x 24" long x 1.5" thick	113.81
26CF24SSB	T304 Stainless steel ADA compliant / Heel proof grate - 26" wide x 24" long x 1.5" thick	61.13
26CF24SSC	T304 Stainless steel ADA compliant / Heel proof grate - 26" wide x 24" long x 1.5" thick	61.13
26E24SS	T304 Stainless steel perforated grate - 26" wide x 24" long x 1.5" thick	100.12
26G36SSA	T304 Stainless steel bar grate - 26" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	241.25
26G36SSB	T304 Stainless steel bar grate - 26" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	226.17
26G36SSC	T304 Stainless steel bar grate - 26" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	196.02
26G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 26" wide x 48" long x 1 1/2" thick	280.8

26GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 26" wide x 48" long x 1 1/2" thick	61
26HC48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 26" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	125.12
26H48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 26" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	193.51
26B24FG	Cast Fiberglass slotted grate - gray color (special order only)	87.36
26G36GSA	Galvanized steel bar grate - 26" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	241.25
26G36GSB	Galvanized steel bar grate - 26" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	226.17
26G36GSC	Galvanized steel bar grate - 26" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	196.02
26G24AL	Aluminum Bar grating - 26" wide x 24" long x 1.5" thick	260
38"	GRATES	
38AF24BPB	Solid cover plate - specify smooth or checkered - 38" wide x 24" long x 1.5" thick	0
38AF24BPD	Solid cover plate - specify smooth or checkered - 38" wide x 24" long x 1.5" thick	0
38AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 38" wide x 24" long x 1.5" thick	0
38AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 38" wide x 24" long x 1.5" thick	0
38A24DI	Ductile Iron Solid cover plate - non-skid surface pattern with lifting eyes at corners - 38" wide x 24" long x 1.5" thick	0
38BF24BPB	Black painted steel slotted grate - 38" wide x 24" long x 4 1/4" thick (1.5" thick at grate seat)	120.13
38BF24BPD	Black painted steel slotted grate - 38" wide x 24" long x 4 1/4" thick (1.5" thick at grate seat)	120.13
38B38CI	Cast Iron Slotted Grate - Uncoated - 37 3/4" wide x 37 3/4" long x 1.5" thick (3.5" thick in center of grate)	350.63
38CF24BPB	Black powder painted steel ADA compliant / Heel proof grate - 38" wide x 24" long x 1.5" thick	33.15
38CF24BPD	Black powder painted steel ADA compliant / Heel proof grate - 38" wide x 24" long x 1.5" thick	33.15
38AF24SS	T304 Stainless steel solid cover - 38" wide x 24" long x 2 1/4" thick - 1.5" thick at grate seat	0
38BF24SSB	T304 Stainless steel slotted grate - 38" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	120.13
38BF24SSD	T304 Stainless steel slotted grate - 38" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	120.13
38CF24SSB	T304 Stainless steel ADA compliant / Heel proof grate - 38" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	33.15
38CF24SSD	T304 Stainless steel ADA compliant / Heel proof grate - 38" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	33.15
38E24SS	T304 Stainless steel perforated grate - 38" wide x 24" long x 1.5" thick	177.21
38G36SSA	T304 Stainless steel bar grate - 38" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	353.75
38G36SSB	T304 Stainless steel bar grate - 38" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	331.64
38G36SSC	T304 Stainless steel bar grate - 38" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	287.42
38G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 38" wide x 48" long x 1 1/2" thick	164.5
38GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 38" wide x 48" long x 1 1/2" thick	65
38HC48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 38" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	204
38H48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 38" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	315
38G36GSA	Galvanized steel bar grate - 38" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	353.75
38G36GSB	Galvanized steel bar grate - 38" wide x 36" long x 1.5" thick, with 1/4" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	331.64
38G36GSC	Galvanized steel bar grate - 38" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	287.42
38G24AL	Aluminum Bar grating - 38" wide x 24" long x 1.5" thick	331.64
50"	GRATES	
50AF24BPB	Solid cover plate - specify smooth or checkered - 50" wide x 24" long x 1.5" thick	0
50AF24BPD	Solid cover plate - specify smooth or checkered - 50" wide x 24" long x 1.5" thick	0
50AF24GSB	Galvanized solid cover plate - specify smooth or checkered - 50" wide x 24" long x 1.5" thick	0
50AF24GSD	Galvanized solid cover plate - specify smooth or checkered - 50" wide x 24" long x 1.5" thick	0
50A24DI	Ductile Iron Solid cover plate - non-skid surface pattern with lifting eyes at corners - 50" wide x 24" long x 1.5" thick	0
50BF24BPB	Black powder painted steel slotted grate - 50" wide x 24" long x 1.5" thick	159.14
50BF24BPD	Black powder painted steel slotted grate - 50" wide x 24" long x 1.5" thick	159.14
50CF24BPB	Black powder painted steel ADA compliant / Heel proof grate - 50" wide x 24" long x 1.5" thick	44.2
50CF24BPD	Black powder painted steel ADA compliant / Heel proof grate - 50" wide x 24" long x 1.5" thick	44.2
50AF24SS	T304 Stainless steel solid cover - 50" wide x 24" long x 2 1/4" thick - 1.5" thick at grate seat	0
50BF24SSB	T304 Stainless steel slotted grate - 50" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	159.14
50BF24SSD	T304 Stainless steel slotted grate - 50" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	159.14
50CF24SSB	T304 Stainless steel ADA compliant / Heel proof grate - 50" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	44.2
50CF24SSD	T304 Stainless steel ADA compliant / Heel proof grate - 50" wide x 24" long x 4 1/4" thick - 1.5" thick at grate seat	44.2
50E24SS	T304 Stainless steel perforated grate - 50" wide x 24" long x 1.5" thick	233.67
50G36SSA	T304 Stainless steel bar grate - 50" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c., sandblast finish	466.25

50G36SSB	T304 Stainless steel bar grate - 50" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c., sandblast finish	437.1
50G48FG	Pultruded fiberglass I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 50" wide x 48" long x 1 1/2" thick	216.2
50GC48FG	Pultruded fiberglass ADA compliant I-bar grating with anti-slip grit (standard color is gray - other colors available upon request) - 50" wide x 48" long x 1 1/2" thick	75
50HC48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 50" wide x 48" long x 1 1/2" thick with 1/2" x 1/2" mesh spacing	268.42
50H48FG	Fiberglass grate with anti-slip grit (standard color is gray - other colors available upon request) - 50" wide x 48" long x 1 1/2" thick with 1 1/2" x 1 1/2" mesh spacing	412.5
50G36GSA	Galvanized steel bar grate - 50" wide x 36" long x 1.5" thick, with 3/16" thick bearing bars at 1 3/16" O.C., banded edges, and cross bars at 4" o.c.	466.25
50G36GSB	Galvanized steel bar grate - 50" wide x 36" long x 1.5" thick, with 3/8" thick bearing bars at 1 3/16" O.C., load banded edges, and cross bars at 4" o.c.	437.1
50G24AL	Aluminum Bar grating - 50" wide x 24" long x 1.5" thick	437.1